





SCOLARO SCOLARO

Quote #: F3BVRVYV

A Proposal for Window and Door Products prepared for:

Shipping Address:

LAVALLEY BUILDING SUPPLY-HAMPTON
864 Lafayette Rd
Hampton, NH 03842-1250

SUZIE WELSH
LAVALLEY BUILDING SUPPLY-HAMPTON
143 TWISTBACK RD
CLAREMONT, NH 03743-4541
Phone: (603) 926-7626

Email: swelsh@lavalleys.com

This report was generated on 4/24/2025 1:42:02 PM using the Marvin Order Management System, version 0004.14.01 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Featuring products from:



UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.
Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.


NUMBER OF LINES: 2		TOTAL UNIT QTY: 8		EXT NET PRICE: USD 8,525.51		
LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1		Elevate	Double Hung Insert IO 30 3/4" X 56 1/8" Entered as FS 30 3/8" X 56 1/2"	1,089.15	7	7,624.05
2		Elevate	Double Hung Insert IO 21 1/2" X 36" Entered as Inside Opening 21 1/2" X 36"	901.46	1	901.46


LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit:	Net Price:		1,089.15
Qty: 7		Ext. Net Price:	USD	7,624.05

MARVIN






As Viewed From The Exterior


Entered As: FS
IO 30 3/4" X 56 1/8"
Egress Information
Width: 26 23/32" Height: 22 49/64"
Net Clear Opening: 4.22 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.47
Condensation Resistance: 56
CPD Number: MAR-N-424-00768-00001
Performance Grade
Licensee #1123
AAMA/WDMA/CSA/101/ I.S.2/A440-08
LC-PG40 1067X2146 mm (42X84.5 in)
Water Resistance: 6.06 psf
LC-PG40 DP +40/-40
FL6525

Stone White Exterior
Painted Interior Finish - Designer Black Pine Interior 80.65
Elevate Double Hung Insert 726.60
Frame Size 30 3/8" X 56 1/2"
Inside Opening 30 3/4" X 56 1/8"
8 Degree Frame Bevel
Top Sash
Stone White Exterior
Painted Interior Finish - Designer Black Pine Interior
IG
Low E2 w/Argon
Stainless Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Stainless 158.28
Rectangular 3W2H
Stone White Ext - Painted Interior Finish - Designer Black Int
Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.
Bottom Sash
Stone White Exterior
Painted Interior Finish - Designer Black Pine Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Black Weather Strip Package
1 Matte Black Sash Lock
Exterior Aluminum Screen 37.69
Stone White Surround
Bright View Mesh
3 1/4" Jamb
Thru Jamb Installation
Existing Sill Angle 8
3" Frame Expander 85.93
***Frame Expander Ship Loose
***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
***Note: Frame Size shown is measured from the exterior of the unit.
*****Note: Unit Availability and Price is Subject to Change**

Line #2	Mark Unit:	Net Price:		901.46
Qty: 1		Ext. Net Price:	USD	901.46

MARVIN






Stone White Exterior
Painted Interior Finish - Designer Black Pine Interior 80.65
Elevate Double Hung Insert 545.70
Inside Opening 21 1/2" X 36"
8 Degree Frame Bevel
Top Sash
Stone White Exterior
Painted Interior Finish - Designer Black Pine Interior
IG
Low E2 w/Argon
Stainless Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Stainless 158.28
Rectangular 3W2H
Stone White Ext - Painted Interior Finish - Designer Black Int
Divided Lite Options are inconsistent across the panels of this unit. Ensure

OMS Ver. 0004.14.01 (Current)

Processed on: 4/24/2025 1:42:02 PM

Page 3 of 5

For product warranty information please visit, www.marvin.com/support/warranty.



As Viewed From The Exterior

Entered As: IO
IO 21 1/2" X 36"
Egress Information
Width: 17 15/32" Height: 12 45/64"
Net Clear Opening: 1.54 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.47
Condensation Resistance: 56
CPD Number: MAR-N-424-00768-00001
Performance Grade
Licensee #1123
AAMA/WDMA/CSA/101/ I.S.2/A440-08
LC-PG40 1067X2146 mm (42X84.5 in)
Water Resistance: 6.06 psf
LC-PG40 DP +40/-40
FL6525

the correct Divided Lite Types have been selected.

Bottom Sash
Stone White Exterior
Painted Interior Finish - Designer Black Pine Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Black Weather Strip Package
1 Matte Black Sash Lock
Exterior Aluminum Screen 30.90
Stone White Surround
Bright View Mesh
3 1/4" Jambs
Thru Jamb Installation
Existing Sill Angle 8
3" Frame Expander 85.93
***Frame Expander Ship Loose
***Note: Divided lite cut alignment may not be accurately represented in the
OMS drawing. Please consult your local representative for exact specifications.
*****Note: Unit Availability and Price is Subject to Change**

Project Subtotal Net Price: USD	8,525.51
0.000% Sales Tax: USD	0.00
Project Total Net Price: USD	8,525.51

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:


NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.

Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.

2021 IECC Climate Zone Map:



ENERGY STAR Version 7 Climate Zone Map:

