

THE TOBIAS LEAR HOUSE - CHANGE OF USE

49 HUNKING STREET

PORTSMOUTH, NEW HAMPSHIRE

PROPOSED BUILDING ADDITION

PERMIT PLANS

OWNER:
THE WENTWORTH-GARDNER AND TOBIAS
LEAR HOUSES ASSOCIATION
 P.O. BOX 563
 PORTSMOUTH, N.H. 03802

APPLICANT:
STEPHEN FOSTER
 1924 47TH STREET NW
 WASHINGTON, DC 20007
 Tel (202) 302-0202

CIVIL ENGINEER & LAND SURVEYOR:
AMBIT ENGINEERING, INC.
 200 GRIFFIN ROAD, UNIT 3
 PORTSMOUTH, N.H. 03801-7114
 Tel (603) 430-9282
 Fax (603) 436-2315

RESIDENTIAL DESIGNER:
BRENDAN McNAMARA
 19 DOE DRIVE
 ELIOT, ME 03903
 (207) 439-3521

ATTORNEY:
TIM PHOENIX
HOEFLE PHOENIX GROMLEY & ROBERTS
 127 PARROTT AVENUE
 PORTSMOUTH, N.H. 03801
 TEL (603) 436-0666

INDEX OF SHEETS


- STANDARD BOUNDARY SURVEY
 C1 - EXISTING CONDITIONS AND DEMOLITION PLAN
 C2 - PROPOSED SITE PLAN
 D1 - DETAIL SHEET

PORTSMOUTH APPROVAL CONDITIONS NOTE:
 ALL CONDITIONS ON THIS PLAN SET SHALL REMAIN IN EFFECT IN PERPETUITY PURSUANT TO THE REQUIREMENTS OF THE CITY OF PORTSMOUTH SITE PLAN REVIEW REGULATIONS.

APPROVED BY THE PORTSMOUTH PLANNING BOARD

CHAIRMAN _____

DATE _____



UTILITY CONTACTS

ELECTRIC:
 EVERSOURCE
 74 OLD DOVER ROAD
 ROCHESTER, N.H. 03867
 Tel. (603) 332-4227, Ext. 555.5325
 ATTN: MARK COLLINS
 EMAIL: mark.collins@eversource.com

NATURAL GAS:
 UNITIL
 325 WEST ROAD
 PORTSMOUTH, N.H. 03801
 Tel. (603) 6294-5147
 ATTN: SUSAN DUPLISA
 dupliseas@unitil.com

CABLE:
 XFINITY BY COMCAST
 180 GREENLEAF AVE.
 PORTSMOUTH, N.H. 03801
 Tel. (603) 266-2278
 ATTN: MIKE COLLINS

SEWER & WATER:
 PORTSMOUTH DEPARTMENT OF PUBLIC WORKS
 680 PEVERLY HILL ROAD
 PORTSMOUTH, N.H. 03801
 Tel. (603) 427-1550
 ATTN: JOHN ADAMS (SEWER)
 ATTN: TERRY DESMARIS (WATER)

COMMUNICATIONS:
 FAIRPOINT COMMUNICATIONS
 1575 GREENLAND ROAD
 GREENLAND, N.H. 03840
 Tel. (603) 427-5525
 ATTN: JOE CONSIDINE
 EMAIL: jconside@fairpoint.com

LEGEND:

EXISTING	PROPOSED	
N/F		NOW OR FORMERLY
RP		RECORD OF PROBATE
RCRD		ROCKINGHAM COUNTY
		REGISTRY OF DEEDS
		MAP 11/LOT 21
● IR FND		IRON ROD FOUND
○ IP FND		IRON PIPE FOUND
● IR SET		IRON ROD SET
○ DH FND		DRILL HOLE FOUND
○ DH SET		DRILL HOLE SET
■		GRANITE BOUND w/IRON ROD FOUND
FM	FM	FORCE MAIN
S	S	SEWER PIPE
SL	SL	SEWER LATERAL
G	PG	GAS LINE
D	D	STORM DRAIN
FD	FD	FOUNDATION DRAIN
W	W	WATER LINE
FS	FS	FIRE SERVICE LINE
UE	UGE	UNDERGROUND ELECTRIC SUPPLY
		UNDERGROUND ELECTRIC SERVICE
OHW	OHW	OVERHEAD ELECTRIC/WIRES
		RETAINING WALL
		EDGE OF PAVEMENT (EP)
100	100	CONTOUR
97x3	98x0	SPOT ELEVATION
□	□	UTILITY POLE
□	□	ELECTRIC METER
		TRANSFORMER ON CONCRETE PAD
		WATER SHUT OFF/CURB STOP
C.O.	C.O.	PIPE CLEANOUT
		GATE VALVE
		HYDRANT
		CATCH BASIN
		SEWER MANHOLE
		DRAIN MANHOLE
		WATER METER MANHOLE
		TEST BORING
		TEST PIT
LA		LANDSCAPED AREA
CI	CI	CAST IRON PIPE
COP	COP	COPPER PIPE
CMP	CMP	CORRUGATED METAL PIPE
DI	DI	DUCTILE IRON PIPE
PVC	PVC	POLYVINYL CHLORIDE PIPE
RCP	RCP	REINFORCED CONCRETE PIPE
HYD	HYD	HYDRANT
CL	CL	CENTERLINE
EP	EP	EDGE OF PAVEMENT
EL	EL	ELEVATION
FF	FF	FINISHED FLOOR
INV	INV	INVERT
TBM	TBM	TEMPORARY BENCH MARK
TYP	TYP	TYPICAL



PROPOSED BUILDING ADDITION
49 HUNKING STREET
PORTSMOUTH, N.H.

AMBIT ENGINEERING, INC.
Civil Engineers & Land Surveyors
 200 Griffin Road - Unit 3
 Portsmouth, N.H. 03801-7114
 Tel (603) 430-9282
 Fax (603) 436-2315

PLAN SET SUBMITTAL DATE: 15 MAY 2019




AMBIT ENGINEERING, INC.

Civil Engineers & Land Surveyors

200 Griffin Road - Unit 3
Portsmouth, N.H. 03801-7114
Tel (603) 430-9282
Fax (603) 436-2315

NOTES:

- 1) PARCEL IS SHOWN ON THE CITY OF PORTSMOUTH ASSESSOR'S MAP 103 AS LOT 39.
- 2) OWNER OF RECORD:
THE WENTWORTH-GARDNER AND TOBIAS LEAR HOUSES ASSOCIATION
PO BOX 563
PORTSMOUTH, NH 03802
972/67
- 3) PARCEL IS NOT IN A SPECIAL FLOOD HAZARD AREA AS SHOWN ON FIRM PANEL 33015C0259E. EFFECTIVE DATE MAY 17, 2005.
- 4) EXISTING LOT AREA:
5,612 S.F.
0.1288 ACRES
- 5) PARCEL IS LOCATED IN THE GENERAL RESIDENCE B (GRB) ZONING DISTRICT AND IS WITHIN THE HISTORIC DISTRICT.
- 6) DIMENSIONAL REQUIREMENTS:
MIN. LOT AREA: 5,000 S.F.
FRONTAGE: 80 FEET
SETBACKS: FRONT 5 FEET
SIDE 10 FEET
REAR 25 FEET
MAXIMUM STRUCTURE HEIGHT: 35 FEET
MAXIMUM BUILDING COVERAGE: 30%
MINIMUM OPEN SPACE: 25%
- 7) THE PURPOSE OF THIS PLAN IS TO SHOW THE RESULT OF A STANDARD BOUNDARY SURVEY OF TAX MAP 103 LOT 39 IN THE CITY OF PORTSMOUTH.



LOCATION MAP


SCALE 1"=300'

LEGEND:

- | | |
|---------------|-----------------------------|
| N/F | NOW OR FORMERLY |
| RP | RECORD OF PROBATE |
| RCD | ROCKINGHAM COUNTY |
| RR | REGISTRY OF DEEDS |
| RR SPK | RAILROAD SPIKE |
| 11/27 | MAP 11/LOT 21 |
| ○ IR FND | IRON ROD FOUND |
| ○ IP FND | IRON PIPE FOUND |
| ● IR SET | IRON ROD SET |
| ○ DH FND | DRILL HOLE FOUND |
| ○ DH SET | DRILL HOLE SET |
| ■ NHHB | NHDOT BOUND FOUND |
| ■ TB | TOWN BOUND |
| ■ BND w/DH | BOUND WITH DRILL HOLE |
| ■ ST BND w/DH | STONE BOUND WITH DRILL HOLE |

PLAN REFERENCES:


- 1) PLAN OF LAND FOR JOHN WACKMAN & SUSAN SINNOTT 44 GARDNER STREET PORTSMOUTH, N.H. COUNTY OF ROCKINGHAM. PREPARED BY AMBIT SURVEY. DATED APRIL 1998. NOT RECORDED.
- 2) STANDARD PROPERTY SURVEY FOR PROPERTY AT 25 HUNKING STREET PORTSMOUTH, ROCKINGHAM COUNTY, MAINE, OWNED BY THE DENNETT M. PAGE REVOCABLE TRUST OF 2005 DENNETT M. PAGE, TRUSTEE THE HUGH E. JENCKS REVOCABLE TRUST OF 2005 HUGH E. JENCKS, TRUSTEE 42 HUNKING STREET PORTSMOUTH, NH 03801. PREPARED BY EASTERLY SURVEYING, INC. DATED SEPTEMBER 13, 2007. R.C.R.D. PLAN D-35016.
- 3) STANDARD PROPERTY SURVEY FOR PROPERTY AT 16 HUNKING STREET PORTSMOUTH, ROCKINGHAM COUNTY, NEW HAMPSHIRE OWNED BY HELEN C. BREWSTER 16 HUNKING STREET PORTSMOUTH, NH 03801. PREPARED BY EASTERLY SURVEYING, INC. DATED SEPTEMBER 13, 2007. R.C.R.D. PLAN D-35072.



J.W. DURGIN
TRUE NORTH
FILE 2288
PLAN 3287


I CERTIFY THAT THIS PLAN WAS PREPARED UNDER MY DIRECT SUPERVISION, THAT IT IS THE RESULT OF A FIELD SURVEY BY THIS OFFICE AND HAS AN ACCURACY OF THE CLOSED TRAVERSE THAT EXCEEDS THE PRECISION OF 1:15,000.

I CERTIFY THAT THIS SURVEY PLAT IS NOT A SUBDIVISION PURSUANT TO THIS TITLE AND THAT THE LINES OF STREETS AND WAYS SHOWN ARE THOSE OF PUBLIC OR PRIVATE STREETS OR WAYS ALREADY ESTABLISHED AND THAT NO NEW WAYS ARE SHOWN.



PAUL A. DOBBERSTEIN, LLS #1000

6/11/2018
DATE



NO.	DESCRIPTION	DATE
1	ADD MONUMENTS AS SET	6/11/18
0	ISSUED FOR COMMENT	5/29/18

STANDARD BOUNDARY SURVEY
TAX MAP 103 - LOT 39
THE TOBIAS LEAR HOUSE
 OWNER
THE WENTWORTH-GARDNER
AND TOBIAS LEAR HOUSES
ASSOCIATION
 49 HUNKING STREET
 CITY OF PORTSMOUTH
 COUNTY OF ROCKINGHAM
 STATE OF NEW HAMPSHIRE

SCALE 1"=10'



MAY 2018

DEMOLITION NOTES

- 1) THE LOCATIONS OF UNDERGROUND UTILITIES ARE APPROXIMATE AND THE LOCATIONS ARE NOT GUARANTEED BY THE OWNER OR THE DESIGNER. IT IS THE CONTRACTOR'S RESPONSIBILITY TO LOCATE UTILITIES AND ANTICIPATE CONFLICTS. CONTRACTOR SHALL REPAIR EXISTING UTILITIES DAMAGED BY THEIR WORK AND RELOCATE EXISTING UTILITIES THAT ARE REQUIRED TO BE RELOCATED PRIOR TO COMMENCING ANY WORK IN THE IMPACTED AREA OF THE PROJECT.
- 2) ALL MATERIALS SCHEDULED TO BE REMOVED SHALL BECOME THE PROPERTY OF THE CONTRACTOR UNLESS OTHERWISE SPECIFIED. THE CONTRACTOR SHALL DISPOSE OF ALL MATERIALS OFF-SITE IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS, ORDINANCES AND CODES. THE CONTRACTOR SHALL COORDINATE REMOVAL, RELOCATION, DISPOSAL, OR SALVAGE OF UTILITIES WITH THE OWNER AND APPROPRIATE UTILITY COMPANY.
- 3) ANY EXISTING WORK OR PROPERTY DAMAGED OR DISRUPTED BY CONSTRUCTION/DEMOLITION ACTIVITIES SHALL BE REPLACED OR REPAIRED TO THE ORIGINAL EXISTING CONDITIONS BY THE CONTRACTOR AT NO ADDITIONAL COST TO THE OWNER.
- 4) THE CONTRACTOR SHALL OBTAIN AND PAY FOR ADDITIONAL CONSTRUCTION PERMITS, NOTICES AND FEES NECESSARY TO COMPLETE THE WORK AND ARRANGE FOR AND PAY FOR ANY INSPECTIONS AND APPROVALS FROM THE AUTHORITIES HAVING JURISDICTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY ADDITIONAL AND OFF-SITE DISPOSAL OF MATERIALS REQUIRED TO COMPLETE THE WORK.
- 5) ALL WORK WITHIN THE CITY OF PORTSMOUTH RIGHT OF WAY SHALL BE COORDINATED WITH THE CITY OF PORTSMOUTH DEPARTMENT OF PUBLIC WORKS (DPW).
- 6) CONTRACTOR SHALL PROTECT ALL PROPERTY MONUMENTATION THROUGHOUT DEMOLITION AND CONSTRUCTION OPERATIONS. SHOULD ANY MONUMENTATION BE DISTURBED, THE CONTRACTOR SHALL EMPLOY A NH LICENSED LAND SURVEYOR TO REPLACE THEM.
- 7) THE CONTRACTOR SHALL PAY ALL COSTS NECESSARY FOR TEMPORARY PARTITIONING, BARRICADING, FENCING, SECURITY AND SAFELY DEVICES REQUIRED FOR THE MAINTENANCE OF A CLEAN AND SAFE CONSTRUCTION SITE.

WETLAND NOTES:

- 1) HIGHEST OBSERVABLE TIDE LINE DELINEATED BY STEVEN D. RIKER, CWS ON 4/13/2019 IN ACCORDANCE WITH THE FOLLOWING STANDARDS:
 - A) U.S. ARMY CORPS OF ENGINEERS WETLANDS DELINEATION MANUAL, TECHNICAL REPORT Y-87-1 (JAN. 1987), AND REGIONAL SUPPLEMENT TO THE CORPS OF ENGINEERS WETLAND DELINEATION MANUAL: NORTHCENTRAL AND NORTHEAST REGION, VERSION 2.0, JANUARY 2012.
 - B) FIELD INDICATORS OF HYDRIC SOILS IN THE UNITED STATES, VERSION 8.1, USDA-NRCS, 2017 AND (FOR DISTURBED SITES) FIELD INDICATORS FOR IDENTIFYING HYDRIC SOILS IN NEW ENGLAND, VERSION 4. NEWPCC WETLANDS WORK GROUP (2017).
 - C) NATIONAL LIST OF PLANT SPECIES THAT OCCUR IN WETLANDS: NORTHEAST (REGION 1), USFWS (MAY 1988).
 - D) CLASSIFICATION OF WETLANDS AND DEEPWATER HABITATS OF THE UNITED STATES. USFW MANUAL FWS/OBS-79/31 (1997).
 - E) "IDENTIFICATION AND DOCUMENTATION OF VERNAL POOLS IN NEW HAMPSHIRE" (1997). NEW HAMPSHIRE FISH AND GAME DEPARTMENT.
- 2) HOTL LINE WAS FIELD LOCATED BY AMBIT ENGINEERING, INC.



AMBIT ENGINEERING, INC.
Civil Engineers & Land Surveyors
200 Griffin Road - Unit 3
Portsmouth, N.H. 03801-7114
Tel (603) 430-9282
Fax (603) 436-2316

- NOTES:**
- 1) PARCEL IS SHOWN ON THE CITY OF PORTSMOUTH ASSESSOR'S MAP 103 AS LOT 39.
 - 2) OWNER OF RECORD:
THE WENTWORTH-GARDNER AND TOBIAS LEAR HOUSES ASSOCIATION
PO BOX 563
PORTSMOUTH, NH 03802
972/67

APPLICANT:
STEPHEN FOSTER
1924 47TH STREET, NW
WASHINGTON, D.C. 20007
 - 3) PARCEL IS NOT IN A SPECIAL FLOOD HAZARD AREA AS SHOWN ON FIRM PANEL 33015C0259E. EFFECTIVE DATE MAY 17, 2005.
 - 4) EXISTING LOT AREA:
5,612 S.F.
0.1288 ACRES
 - 5) PARCEL IS LOCATED IN THE GENERAL RESIDENCE B (GRB) ZONING DISTRICT AND IS WITHIN THE HISTORIC DISTRICT.
 - 6) DIMENSIONAL REQUIREMENTS:
MIN. LOT AREA: 5,000 S.F.
FRONTAGE: 80 FEET
SETBACKS: FRONT 5 FEET
SIDE 10 FEET
REAR 25 FEET
MAXIMUM STRUCTURE HEIGHT: 35 FEET
MAXIMUM BUILDING COVERAGE: 30%
MINIMUM OPEN SPACE: 25%
 - 7) THE PURPOSE OF THIS PLAN IS TO SHOW THE EXISTING CONDITIONS ON ASSESSOR'S MAP 103 LOT 39 IN THE CITY OF PORTSMOUTH.
 - 8) VERTICAL DATUM IS MEAN SEA LEVEL NAVD88. BASIS OF VERTICAL DATUM IS REDUNDANT RTN GPS OBSERVATIONS (0.2'±).
 - 9) ENTIRE PARCEL IS WITHIN THE 250' NH DES PROTECTED SHORELAND.


**TOBIAS LEAR HOUSE
CHANGE OF USE
49 HUNKING STREET
PORTSMOUTH, N.H.**


NO.	DESCRIPTION	DATE
1	DEMOLITION	5/15/19
0	ISSUED FOR COMMENT	5/11/19

STATE OF NEW HAMPSHIRE
STEVEN D. RIKER
No. 1000
PAUL A. DOBBERSTEIN
No. 219
LICENSED SURVEYOR
CERTIFIED WETLAND ENGINEER

SCALE: 1"=10'
MAY 2019
EXISTING CONDITION AND DEMOLITION PLAN
C1

"I CERTIFY THAT THIS PLAN WAS PREPARED UNDER MY DIRECT SUPERVISION, THAT IT IS THE RESULT OF A FIELD SURVEY BY THIS OFFICE AND HAS AN ACCURACY OF THE CLOSED TRAVERSE THAT EXCEEDS THE PRECISION OF 1:15,000."
PAUL A. DOBBERSTEIN, LLS
DATE 5/15/2019





AMBIT ENGINEERING, INC.
Civil Engineers & Land Surveyors
200 Griffin Road - Unit 3
Portsmouth, N.H. 03801-7114
Tel (603) 430-9282
Fax (603) 436-2315


J.W. DURGIN
FILE 2286
PLAN 3287
TRUE NORTH

NOTES:

- 1) PARCEL IS SHOWN ON THE CITY OF PORTSMOUTH ASSESSOR'S MAP 103 AS LOT 39.
- 2) OWNER OF RECORD:
THE WENTWORTH-GARDNER AND
TOBIAS LEAR HOUSES ASSOCIATION
PO BOX 563
PORTSMOUTH, NH 03802
972/67

APPLICANT:
STEPHEN FOSTER
1924 47TH STREET, NW
WASHINGTON, D.C. 20007
- 3) PARCEL IS NOT IN A SPECIAL FLOOD HAZARD AREA AS SHOWN ON FIRM PANEL 33015C0259E. EFFECTIVE DATE MAY 17, 2005.
- 4) EXISTING LOT AREA:
5,612 S.F.
0.1288 ACRES
- 5) PARCEL IS LOCATED IN THE GENERAL RESIDENCE B (GRB) ZONING DISTRICT AND IS WITHIN THE HISTORIC DISTRICT.
- 6) DIMENSIONAL REQUIREMENTS:
MIN. LOT AREA: 5,000 S.F.
FRONTAGE: 80 FEET
SETBACKS: FRONT 5 FEET
SIDE 10 FEET
REAR 25 FEET
MAXIMUM STRUCTURE HEIGHT: 35 FEET
MAXIMUM BUILDING COVERAGE: 30%
MINIMUM OPEN SPACE: 25%
- 7) THE PURPOSE OF THIS PLAN IS TO SHOW THE ADDITION OF A SHED/KITCHEN AS WELL AS A CHANGE OF USE TO AN INN ON TAX MAP 103 LOT 39 IN THE CITY OF PORTSMOUTH.
- 8) BUILDING COVERAGE (AT HEIGHT ABOVE 18"):
EXISTING: 1,440 S.F./5,612 S.F. = 25.7%
PROPOSED: 1,512 S.F./5,612 S.F. = 26.9%

IMPERVIOUS SURFACE AREAS (TO PROPERTY LINE)		
STRUCTURE	PRE-CONSTRUCTION IMPERVIOUS (S.F.)	POST-CONSTRUCTION IMPERVIOUS (S.F.)
MAIN STRUCTURE & BULKHEAD	1,459	1,531
PAVEMENT (APPURTENANT TO TAX MAP 103 LOT 38)	8	8
WALKWAY	27	27
STAIRS AND STEPS	42	31
TOTAL	1,536	1,597
LOT SIZE	5,612	5,612
% LOT COVERAGE	27.4%	28.5%



CONDITIONAL USE PERMIT

GRANTED: 5/16/19
 PERMIT: 10.1112.14 FOR PROVISION OF NO ON-SITE PARKING SPACES WHERE A MINIMUM OF THREE ARE REQUIRED TO OPERATE AN INN.
 CONDITION OF APPROVAL: THE SHARED PARKING ARRANGEMENT TO PROVIDE 3 PARKING SPACES ON THE PROPERTY OF THE WENTWORTH GARNER HOUSE SHALL BE SECURED BY A COVENANT ACCEPTABLE TO THE CITY AND RECORDED AT THE ROCKINGHAM COUNTY REGISTRY OF DEEDS.

VARIANCES

VARIANCES GRANTED: 4/23/19
 A) SECTION 10.440: USE #10.30 TO ALLOW AN INN IN A DISTRICT WHERE THE USE IS NOT ALLOWED.
 B) SECTION 10.531: TO ALLOW A 5.7± RIGHT SIDE YARD WHERE 10' IS REQUIRED
 C) SECTION 10.321: TO ALLOW A NONCONFORMING STRUCTURE OR BUILDING TO BE EXPANDED, RECONSTRUCTED OR ENLARGED WITHOUT CONFORMING TO THE REQUIREMENTS OF THE ORDINANCE.



PORTSMOUTH APPROVAL CONDITIONS NOTE:
 ALL CONDITIONS ON THIS PLAN SET SHALL REMAIN IN EFFECT IN PERPETUITY PURSUANT TO THE REQUIREMENTS OF THE CITY OF PORTSMOUTH SITE PLAN REVIEW REGULATIONS.

APPROVED BY THE PORTSMOUTH PLANNING BOARD

CHAIRMAN _____ DATE _____

**TOBIAS LEAR HOUSE
CHANGE OF USE
49 HUNKING STREET
PORTSMOUTH, N.H.**


NO.	DESCRIPTION	DATE
0	ISSUED FOR COMMENT	5/15/19
REVISIONS		



SCALE: 1"=10' MARCH 2019

SITE PLAN

C2



J:\JOBSET\UN25003\IN 2546\2019_Site Plan\Plans & Specs\Site\2546.01 SITE 2019.dwg - C2 SITE



AMBIT ENGINEERING, INC.
Civil Engineers & Land Surveyors

200 Griffin Road - Unit 3
Portsmouth, N.H. 03801-7114
Tel (603) 430-8282
Fax (603) 438-2315

NOTES:

- 1) UNDERGROUND UTILITY LOCATIONS ARE BASED UPON BEST AVAILABLE EVIDENCE AND ARE NOT FIELD VERIFIED. LOCATING AND PROTECTING ANY ABOVEGROUND OR UNDERGROUND UTILITIES IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND/OR THE OWNER. UTILITY CONFLICTS SHOULD BE REPORTED AT ONCE TO THE DESIGN ENGINEER.
- 2) THE CONTRACTOR SHALL NOTIFY DIG SAFE AT 1-888-DIG-SAFE (1-888-344-7233) AT LEAST 72 HOURS PRIOR TO COMMENCING ANY EXCAVATION ON PUBLIC OR PRIVATE PROPERTY.
- 3) CONTRACTOR SHALL INSTALL AND MAINTAIN EROSION CONTROL MEASURES IN ACCORDANCE WITH THE "NEW HAMPSHIRE STORMWATER MANUAL, VOLUME 3, EROSION AND SEDIMENT CONTROLS DURING CONSTRUCTION." (NHDES DECEMBER 2008).
- 4) PURSUANT TO RSA 483-B:9 11 (D), NO FERTILIZER SHALL BE APPLIED TO VEGETATION OR SOILS LOCATED WITHIN 25 FEET OF THE REFERENCE LINE OF ANY PUBLIC WATER. BEYOND 25 FEET, SLOW OR CONTROLLED RELEASE FERTILIZER MAY BE USED. SLOW RELEASE NITROGEN MUST CONTAIN NO MORE THAN 2% PHOSPHORUS, AND A NITROGEN COMPONENT WHICH IS AT LEAST 50% SLOW RELEASE NITROGEN COMPONENTS.
- 5) PURSUANT TO RSA 483-B:9, V (A) (2) (A), NO CHEMICALS INCLUDING PESTICIDES OR HERBICIDES OF ANY KIND, SHALL BE APPLIED TO GROUND, TURF, OR ESTABLISHED VEGETATION WITHIN THE WATERFRONT BUFFER, EXCEPT IF APPLIED BY HORTICULTURE PROFESSIONAL WHO HAVE AN APPLICATION LICENSE OR AS ALLOWED BY SPECIAL PERMIT ISSUED UNDER RSA 541-A. NO CALCIUM CHLORIDE SHALL BE APPLIED WITHIN THE WATERFRONT BUFFER.

EROSION CONTROL NOTES

CONSTRUCTION SEQUENCE

- DO NOT BEGIN CONSTRUCTION UNTIL ALL LOCAL, STATE AND FEDERAL PERMITS HAVE BEEN APPLIED FOR AND RECEIVED.
- INSTALL PERIMETER CONTROLS, i.e., SILT FENCING OR SILTISOXX AROUND THE LIMITS OF DISTURBANCE BEFORE ANY EARTH MOVING OPERATIONS. THE USE OF HAYBALES IS NOT ALLOWED.
- PERFORM DEMOLITION OF EXISTING BUILDING AND OTHER SITE ELEMENTS.
- MOVE TOPSOIL INTO STOCKPILES, AND CIRCLE WITH SILT FENCING OR SILTISOXX. IF EROSION IS EXCESSIVE, THEN COVER WITH MULCH.
- INSTALL FOUNDATION AND CONSTRUCT ADDITION AND RETAINING WALL.
- LAYOUT AND INSTALL DRIP EDGE.
- AFTER BUILDING AND GRADING IS COMPLETED, SEED DISTURBED AREAS.
- REMOVE TRAPPED SEDIMENTS FROM COLLECTION DEVICES AS APPROPRIATE, AND THEN REMOVE TEMPORARY EROSION CONTROL MEASURES UPON COMPLETION OF FINAL STABILIZATION OF THE SITE.

GENERAL CONSTRUCTION NOTES

THE EROSION CONTROL PROCEDURES SHALL CONFORM TO SECTION 645 OF THE "STANDARD SPECIFICATION FOR ROAD AND BRIDGE CONSTRUCTION" OF THE NHDOT, AND "STORM WATER MANAGEMENT AND EROSION AND SEDIMENT CONTROL HANDBOOK FOR URBAN AND DEVELOPING AREAS IN NEW HAMPSHIRE". THE PROJECT IS TO BE MANAGED IN A MANNER THAT MEETS THE REQUIREMENTS AND INTENT OF RSA 430:53 AND CHAPTER AGR 3800 RELATIVE TO INVASIVE SPECIES.

DURING CONSTRUCTION AND THEREAFTER, EROSION CONTROL MEASURES ARE TO BE IMPLEMENTED AS NOTED. THE SMALLEST PRACTICAL AREA OF LAND SHOULD BE EXPOSED AT ANY ONE TIME DURING DEVELOPMENT. NO DISTURBED AREA SHALL BE LEFT UNSTABILIZED FOR MORE THAN 45 DAYS.

ANY DISTURBED AREAS WHICH ARE TO BE LEFT TEMPORARILY, AND WHICH WILL BE REGRADED LATER DURING CONSTRUCTION SHALL BE MACHINE HAY MULCHED AND SEEDED WITH RYE GRASS TO PREVENT EROSION.

DUST CONTROL: IF TEMPORARY STABILIZATION PRACTICES, SUCH AS TEMPORARY VEGETATION AND MULCHING, DO NOT ADEQUATELY REDUCE DUST GENERATION, APPLICATION OF WATER OR CALCIUM CHLORIDE SHALL BE APPLIED IN ACCORDANCE WITH BEST MANAGEMENT PRACTICES.

SILTISOXX SHALL BE PERIODICALLY INSPECTED DURING THE LIFE OF THE PROJECT AND AFTER EACH STORM. ALL DAMAGED SILTISOXX SHALL BE REPAIRED. SEDIMENT DEPOSITS SHALL BE PERIODICALLY REMOVED AND DISPOSED IN A SECURED LOCATION.

AVOID THE USE OF FUTURE OPEN SPACES (LOAM AND SEED AREAS) WHEREVER POSSIBLE DURING CONSTRUCTION. CONSTRUCTION TRAFFIC SHALL USE THE ROADBEDS OF FUTURE ACCESS DRIVES AND PARKING AREAS.

ADDITIONAL TOPSOIL REQUIRED FOR THE ESTABLISHMENT OF VEGETATION SHALL BE STOCKPILED IN AMOUNTS NECESSARY TO COMPLETE FINISHED GRADING OF ALL EXPOSED AREAS—CONSTRUCT SILT FENCE OR SILTISOXX AROUND TOPSOIL STOCKPILE.

AREAS TO BE FILLED SHALL BE CLEARED, GRUBBED AND STRIPPED OF TOPSOIL TO REMOVE TREES, VEGETATION, ROOTS OR OTHER OBJECTIONABLE MATERIAL. STUMPS SHALL BE DISPOSED OF IN AN APPROVED FACILITY.

ALL FILLS SHALL BE PLACED AND COMPACTED TO REDUCE EROSION, SLIPPAGE, SETTLEMENT, SUBSIDENCE OR OTHER RELATED PROBLEMS.

ALL NON-STRUCTURAL, SITE-FILL SHALL BE PLACED AND COMPACTED TO 90% MODIFIED PROCTOR DENSITY IN LAYERS NOT EXCEEDING 18 INCHES IN THICKNESS UNLESS OTHERWISE NOTED.

FROZEN MATERIAL OR SOFT, MUCKY OR HIGHLY COMPRESSIBLE MATERIAL, TRASH, WOODY DEBRIS, LEAVES, BRUSH OR ANY DELETERIOUS MATTER SHALL NOT BE INCORPORATED INTO FILLS.

FILL MATERIAL SHALL NOT BE PLACED ON FROZEN FOUNDATION SUBGRADE.

DURING CONSTRUCTION AND UNTIL ALL DEVELOPED AREAS ARE FULLY STABILIZED, ALL EROSION CONTROL MEASURES SHALL BE INSPECTED WEEKLY AND AFTER EACH ONE HALF INCH OF RAINFALL.

THE CONTRACTOR SHALL MODIFY OR ADD EROSION CONTROL MEASURES AS NECESSARY TO ACCOMMODATE PROJECT CONSTRUCTION.

ALL ROADWAYS AND PARKING AREAS SHALL BE STABILIZED WITHIN 72 HOURS OF ACHIEVING FINISHED GRADE. ALL CUT AND FILL SLOPES SHALL BE SEEDED/LOAMED WITHIN 72 HOURS OF ACHIEVING FINISHED GRADE.

AN AREA SHALL BE CONSIDERED STABLE IF ONE OF THE FOLLOWING HAS OCCURRED:

- * BASE COURSE GRAVELS HAVE BEEN INSTALLED ON AREAS TO BE PAVED
- * A MINIMUM OF 85% VEGETATED GROWTH HAS BEEN ESTABLISHED
- * A MINIMUM OF 3 INCHES OF NON-EROSIVE MATERIAL SUCH AS STONE OR RIP RAP HAS BEEN INSTALLED
- * EROSION CONTROL BLANKETS HAVE BEEN INSTALLED.

VEGETATIVE PRACTICE

FOR PERMANENT MEASURES AND PLANTINGS: LIMESTONE SHALL BE THOROUGHLY INCORPORATED INTO THE LOAM LAYER AT A RATE OF 2 TONS PER ACRE.

FERTILIZER SHALL BE SPREAD ON THE TOP LAYER OF LOAM AND WORKED INTO THE SURFACE. FERTILIZER APPLICATION RATE SHALL BE 500 POUNDS PER ACRE OF 10-20-20 FERTILIZER. PER CITY OF PORTSMOUTH ZONING ORDINANCE, ARTICLE 10.1018.24 FERTILIZERS: THE USE OF ANY FERTILIZER IS PROHIBITED IN A WETLAND, VEGETATED BUFFER STRIP OR LIMITED CUT AREA; AND THE USE OF FERTILIZERS OTHER THAN LOW PHOSPHATE AND SLOW RELEASE NITROGEN FERTILIZERS IS PROHIBITED IN ANY PART OF A WETLAND BUFFER.

SEED SHALL BE SOWN AT THE RATES SHOWN IN THE TABLE BELOW. IMMEDIATELY BEFORE SEEDING, THE SOIL SHALL BE LIGHTLY RAKED. ONE HALF THE SEED SHALL BE SOWN IN ONE DIRECTION AND THE OTHER HALF AT RIGHT ANGLES TO THE ORIGINAL DIRECTION. IT SHALL BE LIGHTLY RAKED INTO THE SOIL TO A DEPTH NOT OVER 1/4 INCH AND ROLLED WITH A HAND ROLLER WEIGHING NOT OVER 100 POUNDS PER LINEAR FOOT OF WIDTH. HAY MULCH SHALL BE APPLIED IMMEDIATELY AFTER SEEDING AT A RATE OF 1.5 TO 2 TONS PER ACRE, AND SHALL BE HELD IN PLACE USING APPROPRIATE TECHNIQUES FROM THE EROSION AND SEDIMENT CONTROL HANDBOOK.

THE SURFACE SHALL BE WATERED AND KEPT MOIST WITH A FINE SPRAY AS REQUIRED, WITHOUT WASHING AWAY THE SOIL, UNTIL THE GRASS IS WELL ESTABLISHED. ANY AREAS WHICH ARE NOT SATISFACTORILY COVERED SHALL BE RESEEDDED, AND ALL NOXIOUS WEEDS REMOVED.

A GRASS SEED MIXTURE CONTAINING THE FOLLOWING SEED REQUIREMENTS SHALL BE:

GENERAL COVER	PROPORTION	SEEDING RATE
CREeping RED FESCUE	50%	100 LBS/ACRE
KENTUCKY BLUEGRASS	50%	

SLOPE SEED (USED ON ALL SLOPES GREATER THAN OR EQUAL TO 3:1)

CREeping RED FESCUE	42%	
TALL FESCUE	42%	48 LBS/ACRE
BIRDSFOOT TREFOIL	16%	

IN NO CASE SHALL THE WEED CONTENT EXCEED ONE PERCENT BY WEIGHT. ALL SEED SHALL COMPLY WITH APPLICABLE STATE AND FEDERAL SEED LAWS.

FOR TEMPORARY PROTECTION OF DISTURBED AREAS: MULCHING AND SEEDING SHALL BE APPLIED AT THE FOLLOWING RATES:

PERENNIAL RYE: 0.7 LBS/1,000 S.F.
1.5 TONS/ACRE

MAINTENANCE AND PROTECTION

THE CONTRACTOR SHALL MAINTAIN ALL LOAM & SEED AREAS UNTIL FINAL ACCEPTANCE AT THE COMPLETION OF THE CONTRACT. MAINTENANCE SHALL INCLUDE WATERING, WEEDING, REMOVAL OF STONES AND OTHER FOREIGN OBJECTS OVER 1/2 INCHES IN DIAMETER WHICH MAY APPEAR AND THE FIRST TWO (2) CUTTINGS OF GRASS NO CLOSER THEN TEN (10) DAYS APART. THE FIRST CUTTING SHALL BE ACCOMPLISHED WHEN THE GRASS IS FROM 2 1/2 TO 3 INCHES HIGH. ALL BARE AND DEAD SPOTS WHICH BECOME APPARENT SHALL BE PROPERLY PREPARED, LIMED AND FERTILIZED, AND RESEEDDED BY THE CONTRACTOR AT HIS EXPENSE AS MANY TIMES AS NECESSARY TO SECURE GOOD GROWTH. THE ENTIRE AREA SHALL BE MAINTAINED, WATERED AND CUT UNTIL ACCEPTANCE OF THE LAWN BY THE OWNER'S REPRESENTATIVE. PER CITY OF PORTSMOUTH ZONING ORDINANCE, ARTICLE 10.1018.24 FERTILIZERS: THE USE OF ANY FERTILIZER IS PROHIBITED IN A WETLAND, VEGETATED BUFFER STRIP OR LIMITED CUT AREA; AND THE USE OF FERTILIZERS OTHER THAN LOW PHOSPHATE AND SLOW RELEASE NITROGEN FERTILIZERS IS PROHIBITED IN ANY PART OF A WETLAND BUFFER.

THE CONTRACTOR SHALL TAKE WHATEVER MEASURES ARE NECESSARY TO PROTECT THE GRASS WHILE IT IS DEVELOPING.

TO BE ACCEPTABLE, SEEDED AREAS SHALL CONSIST OF A UNIFORM STAND OF AT LEAST 90 PERCENT ESTABLISHED PERMANENT GRASS SPECIES, WITH UNIFORM COUNT OF AT LEAST 100 PLANTS PER SQUARE FOOT.

SEEDED AREAS WILL BE FERTILIZED AND RESEEDDED AS NECESSARY TO INSURE VEGETATIVE ESTABLISHMENT. PER CITY OF PORTSMOUTH ZONING ORDINANCE, ARTICLE 10.1018.24 FERTILIZERS: THE USE OF ANY FERTILIZER IS PROHIBITED IN A WETLAND, VEGETATED BUFFER STRIP OR LIMITED CUT AREA; AND THE USE OF FERTILIZERS OTHER THAN LOW PHOSPHATE AND SLOW RELEASE NITROGEN FERTILIZERS IS PROHIBITED IN ANY PART OF A WETLAND BUFFER.

THE SWALES WILL BE CHECKED WEEKLY AND REPAIRED WHEN NECESSARY UNTIL ADEQUATE VEGETATION IS ESTABLISHED.

THE SILT FENCE OR SILTISOXX BARRIER SHALL BE CHECKED AFTER EACH RAINFALL AND AT LEAST DAILY DURING PROLONGED RAINFALL.

SILT FENCING AND SILTISOXX SHALL BE REMOVED ONCE VEGETATION IS ESTABLISHED, AND DISTURBED AREAS RESULTING FROM SILT FENCE AND SILTISOXX REMOVAL SHALL BE PERMANENTLY SEEDED.

WINTER NOTES



ALL PROPOSED VEGETATED AREAS WHICH DO NOT EXHIBIT A MINIMUM OF 85% VEGETATIVE GROWTH BY OCTOBER 15TH, OR WHICH ARE DISTURBED AFTER OCTOBER 15TH, SHALL BE STABILIZED BY SEEDING AND INSTALLING EROSION CONTROL BLANKETS ON SLOPES GREATER THAN 3:1, AND SEEDING AND PLACING 3 TO 4 TONS OF MULCH PER ACRE, SECURED WITH ANCHORED NETTING, ELSEWHERE. THE INSTALLATION OF EROSION CONTROL BLANKETS OR MULCH AND NETTING SHALL NOT OCCUR OVER ACCUMULATED SNOW OR ON FROZEN GROUND AND SHALL BE COMPLETED IN ADVANCE OF THAW OR SPRING MELT EVENTS.

ALL DITCHES OR SWALES WHICH DO NOT EXHIBIT A MINIMUM OF 85% VEGETATIVE GROWTH BY OCTOBER 15TH, OR WHICH ARE DISTURBED AFTER OCTOBER 15TH, SHALL BE STABILIZED TEMPORARILY WITH STONE OR EROSION CONTROL BLANKETS APPROPRIATE FOR THE DESIGN FLOW CONDITIONS.

AFTER NOVEMBER 15TH, INCOMPLETE ROAD OR PARKING SURFACES, WHERE WORK HAS STOPPED FOR THE WINTER SEASON, SHALL BE PROTECTED WITH A MINIMUM OF 3 INCHES OF CRUSHED GRAVEL PER NHDOT ITEM 304.3.


FERTILIZER USE

PER CITY OF PORTSMOUTH ZONING ORDINANCE, ARTICLE 10.1018.24 FERTILIZERS: THE USE OF ANY FERTILIZER IS PROHIBITED IN A WETLAND, VEGETATED BUFFER STRIP OR LIMITED CUT AREA; AND THE USE OF FERTILIZERS OTHER THAN LOW PHOSPHATE AND SLOW RELEASE NITROGEN FERTILIZERS IS PROHIBITED IN ANY PART OF A WETLAND BUFFER.




- NOTES:**
1. ALL MATERIAL TO MEET FILTRÉXX SPECIFICATIONS.
 2. FILTRÉXX SYSTEM SHALL BE INSTALLED BY A CERTIFIED FILTRÉXX INSTALLER.
 3. THE CONTRACTOR SHALL MAINTAIN THE COMPOST FILTRATION SYSTEM IN A FUNCTIONAL CONDITION AT ALL TIMES. IT WILL BE ROUTINELY INSPECTED AND REPAIRED WHEN REQUIRED.
 4. SILTISOXX DEPICTED IS FOR MINIMUM SLOPES. GREATER SLOPES MAY REQUIRE ADDITIONAL PLACEMENTS.
 5. THE COMPOST FILTER MATERIAL WILL BE DISPERSED ON SITE WHEN NO LONGER REQUIRED, AS DETERMINED BY THE ENGINEER.

A FILTRÉXX® SILTISOXX™ FILTRATION SYSTEM
INSTALL AS NEEDED NTS




C STONE DRIP APRON
SEE ARCHITECT'S PLAN FOR NTS
DETAIL AT NEW FOUNDATION



B STONE WALL DETAIL
NTS

**TOBIAS LEAR HOUSE
CHANGE OF USE
49 HUNKING STREET
PORTSMOUTH, N.H.**

NO.	DESCRIPTION	DATE
0	ISSUED FOR COMMENT	5/15/19
REVISIONS		




SCALE: AS SHOWN MAY 2019

DETAILS

D1

EXTERIOR WINDOW SCHEDULE, GREEN MOUNTAIN WINDOWS							
No.	R.O. (WxH)	HEADER HT.	LITE PATTERN	GMW MILESTONE SERIES	NOTES	JAMB SIZE	QTY
A	2'6 ⁵ / ₁₆ " x 3'9 ³ / ₁₆ "	6'10"	6/6	MDH241B	DOUBLE HUNG WITH 1/2 SCREENS, 7/8" S.D.L.W' SPACER BARS, CASINGS 1x5 W' BACK BAND (TO MATCH EXIST'). 2" HISTORIC SILLS	6 ⁹ / ₁₆ "	3



PROPOSED EAST,

NORTH,

WEST, ELEVATIONS


TITLE: PROPOSED SHED ELEVATIONS
WINDOW SCHEDULE

SCALE: 1/4"=1'-0"

DATE: 5.10.2019

REVISIONS:

TOBIAS LEAR HOUSE
49 HUNKING STREET
PORTSMOUTH, NH.




TOBIAS LEAR HOUSE
 49 HUNKING STREET,
 PORTSMOUTH, NH.

TITLE: PROPOSED ADDITION SECTION


SCALE: 1/2" = 1'-0"

DATE : 5.10.2019

REVISIONS:



PROPOSED FIRST FLOOR PLAN



PROPOSED SECOND FLOOR PLAN

1/8"=1'0"

TITLE: PROPOSED 1ST & 2ND FLOOR PLANS

SCALE: 1/8"=1'0"

DATE: 3.27.2014

REVISIONS:

TOBIAS LEAR HOUSE
49 HUNTING STREET
PORTSMOUTH, NH



City of Portsmouth, New Hampshire

Site Plan Application Checklist

This site plan application checklist is a tool designed to assist the applicant in the planning process and for preparing the application for Planning Board review. A pre-application conference with a member of the planning department is strongly encouraged as additional project information may be required depending on the size and scope. The applicant is cautioned that this checklist is only a guide and is not intended to be a complete list of all site plan review requirements. Please refer to the Site Plan review regulations for full details.

Applicant Responsibilities (Section 2.5.2): Applicable fees are due upon application submittal along with required attachments. The application shall be complete as submitted and provide adequate information for evaluation of the proposed site development. Waiver requests must be submitted in writing with appropriate justification.

Name of Owner/Applicant: Stephen Foster Date Submitted: 5-20-2019

Phone Number: (202) 302-0202 E-mail: sfoster@orbispub.com

Site Address: 49 Hunking Street Map: 103 Lot: 39

Zoning District: GRB-HD Lot area: 5,612 sq. ft.

Application Requirements			
<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	Fully executed and signed Application form. (2.5.2.3)	On-Line	N/A
<input type="checkbox"/>	All application documents, plans, supporting documentation and other materials provided in digital Portable Document Format (PDF). (2.5.2.8)	On-Line	N/A

Site Plan Review Application Required Information			
<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	Statement that lists and describes "green" building components and systems. (2.5.3.1A)	N/A Historic	
<input type="checkbox"/>	Gross floor area and dimensions of all buildings and statement of uses and floor area for each floor. (2.5.3.1B)	Architects Plans	N/A
<input type="checkbox"/>	Tax map and lot number, and current zoning of all parcels under Site Plan Review. (2.5.3.1C)	Boundary Survey	N/A
<input type="checkbox"/>	Owner's name, address, telephone number, and signature. Name, address, and telephone number of applicant if different from owner. (2.5.3.1D)	Cover Sheet	N/A

Site Plan Review Application Required Information

<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	Names and addresses (including Tax Map and Lot number and zoning districts) of all direct abutting property owners (including properties located across abutting streets) and holders of existing conservation, preservation or agricultural preservation restrictions affecting the subject property. (2.5.3.1E)	Boundary Survey	N/A
<input type="checkbox"/>	Names, addresses and telephone numbers of all professionals involved in the site plan design. (2.5.3.1F)	Cover Sheet	N/A
<input type="checkbox"/>	List of reference plans. (2.5.3.1G)	Boundary Survey	N/A
<input type="checkbox"/>	List of names and contact information of all public or private utilities servicing the site. (2.5.3.1H)	Cover Sheet	N/A

Site Plan Specifications

<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	Full size plans shall not be larger than 22 inches by 34 inches with match lines as required, unless approved by the Planning Director. Submittals shall be a minimum of 11 inches by 17 inches as specified by Planning Dept. staff. (2.5.4.1A)	Required on all plan sheets	N/A
<input type="checkbox"/>	Scale: Not less than 1 inch = 60 feet and a graphic bar scale shall be included on all plans. (2.5.4.1B)	Required on all plan sheets	N/A
<input type="checkbox"/>	GIS data should be referenced to the coordinate system New Hampshire State Plane, NAD83 (1996), with units in feet. (2.5.4.1C)	To be provided	N/A
<input type="checkbox"/>	Plans shall be drawn to scale. (2.5.4.1D)	Required on all plan sheets	N/A
<input type="checkbox"/>	Plans shall be prepared and stamped by a NH licensed civil engineer. (2.5.4.1D)	Yes	N/A
<input type="checkbox"/>	Wetlands shall be delineated by a NH certified wetlands scientist and so stamped. (2.5.4.1E)	N/A	N/A
<input type="checkbox"/>	Title (name of development project), north point, scale, legend. (2.5.4.2A)	Cover Sheet	N/A
<input type="checkbox"/>	Date plans first submitted, date and explanation of revisions. (2.5.4.2B)	Yes	N/A
<input type="checkbox"/>	Individual plan sheet title that clearly describes the information that is displayed. (2.5.4.2C)	Required on all plan sheets	N/A
<input type="checkbox"/>	Source and date of data displayed on the plan. (2.5.4.2D)	AEI 5-20-19	N/A

Site Plan Specifications

<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	A note shall be provided on the Site Plan stating: "All conditions on this Plan shall remain in effect in perpetuity pursuant to the requirements of the Site Plan Review Regulations." (2.5.4.2E)	Sheet C2	N/A
<input type="checkbox"/>	Plan sheets submitted for recording shall include the following notes: a. "This Site Plan shall be recorded in the Rockingham County Registry of Deeds." b. "All improvements shown on this Site Plan shall be constructed and maintained in accordance with the Plan by the property owner and all future property owners. No changes shall be made to this Site Plan without the express approval of the Portsmouth Planning Director." (2.13.3)	Sheet C2	N/A
<input type="checkbox"/>	Plan sheets showing landscaping and screening shall also include the following additional notes: a. "The property owner and all future property owners shall be responsible for the maintenance, repair and replacement of all required screening and landscape materials." b. "All required plant materials shall be tended and maintained in a healthy growing condition, replaced when necessary, and kept free of refuse and debris. All required fences and walls shall be maintained in good repair." c. "The property owner shall be responsible to remove and replace dead or diseased plant materials immediately with the same type, size and quantity of plant materials as originally installed, unless alternative plantings are requested, justified and approved by the Planning Board or Planning Director." (2.13.4)	N/A	N/A

Site Plan Specifications – Required Exhibits and Data

<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
	1. Existing Conditions: (2.5.4.3A)		
<input type="checkbox"/>	a. Surveyed plan of site showing existing natural and built features;	Survey plan	
<input type="checkbox"/>	b. Zoning boundaries;	None	
<input type="checkbox"/>	c. Dimensional Regulations;	Survey plan	
<input type="checkbox"/>	d. Wetland delineation, wetland function and value assessment;	Sheet C1	
<input type="checkbox"/>	e. SFHA, 100-year flood elevation line and BFE data.	N/A	
	2. Buildings and Structures: (2.5.4.3B)		
<input type="checkbox"/>	a. Plan view: Use, size, dimensions, footings, overhangs, 1st fl. elevation;	Sheet C1	
<input type="checkbox"/>	b. Elevations: Height, massing, placement, materials, lighting, façade treatments;	Architects	
<input type="checkbox"/>	c. Total Floor Area;	Architects	
<input type="checkbox"/>	d. Number of Usable Floors;	Architects	
<input type="checkbox"/>	e. Gross floor area by floor and use.	Architects	
	3. Access and Circulation: (2.5.4.3C)		
<input type="checkbox"/>	a. Location/width of access ways within site;	Sheet C2	
<input type="checkbox"/>	b. Location of curbing, right of ways, edge of pavement and sidewalks;	Sheet C2	
<input type="checkbox"/>	c. Location, type, size and design of traffic signing (pavement markings);	N/A	
<input type="checkbox"/>	d. Names/layout of existing abutting streets;	Survey Plan	
<input type="checkbox"/>	e. Driveway curb cuts for abutting prop. and public roads;	N/A	
<input type="checkbox"/>	f. If subdivision; Names of all roads, right of way lines and easements noted;	N/A	
<input type="checkbox"/>	g. AASHTO truck turning templates, description of minimum vehicle allowed being a WB-50 (unless otherwise approved by TAC).	N/A	
	4. Parking and Loading: (2.5.4.3D)		
<input type="checkbox"/>	a. Location of off street parking/loading areas, landscaped areas/buffers;	N/A	
<input type="checkbox"/>	b. Parking Calculations (# required and the # provided).	CUP Note (C2)	
	5. Water Infrastructure: (2.5.4.3E)		
<input type="checkbox"/>	a. Size, type and location of water mains, shut-offs, hydrants & Engineering data;	Sheet C2	
<input type="checkbox"/>	b. Location of wells and monitoring wells (include protective radii).	N/A	
	6. Sewer Infrastructure: (2.5.4.3F)		
<input type="checkbox"/>	a. Size, type and location of sanitary sewage facilities & Engineering data.	Sheet C2	
	7. Utilities: (2.5.4.3G)		
<input type="checkbox"/>	a. The size, type and location of all above & below ground utilities;	Sheet C2	
<input type="checkbox"/>	b. Size type and location of generator pads, transformers and other fixtures.	Sheet C2	

Site Plan Specifications – Required Exhibits and Data			
<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	8. Solid Waste Facilities: (2.5.4.3H)		
<input type="checkbox"/>	a. The size, type and location of solid waste facilities.	N/A	
<input type="checkbox"/>	9. Storm water Management: (2.5.4.3I)		
<input type="checkbox"/>	a. The location, elevation and layout of all storm-water drainage.	N/A	
<input type="checkbox"/>	10. Outdoor Lighting: (2.5.4.3J)		
<input type="checkbox"/>	a. Type and placement of all lighting (exterior of building, parking lot and any other areas of the site) and; b. photometric plan.	N/A	
<input type="checkbox"/>	11. Indicate where dark sky friendly lighting measures have been implemented. (10.1)	N/A	
<input type="checkbox"/>	12. Landscaping: (2.5.4.3K)		
<input type="checkbox"/>	a. Identify all undisturbed area, existing vegetation and that which is to be retained;	N/A	
<input type="checkbox"/>	b. Location of any irrigation system and water source.	N/A	
<input type="checkbox"/>	13. Contours and Elevation: (2.5.4.3L)		
<input type="checkbox"/>	a. Existing/Proposed contours (2 foot minimum) and finished grade elevations.	Sheet C2	
<input type="checkbox"/>	14. Open Space: (2.5.4.3M)		
<input type="checkbox"/>	a. Type, extent and location of all existing/proposed open space.	Sheet C2	
<input type="checkbox"/>	15. All easements, deed restrictions and non-public rights of ways. (2.5.4.3N)	N/A	
<input type="checkbox"/>	16. Location of snow storage areas and/or off-site snow removal. (2.5.4.3O)	N/A	
<input type="checkbox"/>	17. Character/Civic District (All following information shall be included): (2.5.4.3Q)		
	a. Applicable Building Height (10.5A21.20 & 10.5A43.30);		
	b. Applicable Special Requirements (10.5A21.30);		
	c. Proposed building form/type (10.5A43);		
	d. Proposed community space (10.5A46).		

Other Required Information

<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	Traffic Impact Study or Trip Generation Report, as required. <i>(Four (4) hardcopies of the full study/report and Six (6) summaries to be submitted with the Site Plan Application) (3.2.1-2)</i>	N/A	
<input type="checkbox"/>	Indicate where Low Impact Development Design practices have been incorporated. (7.1)	Sheet C2	
<input type="checkbox"/>	Indicate whether the proposed development is located in a wellhead protection or aquifer protection area. Such determination shall be approved by the Director of the Dept. of Public Works. (7.3.1)	N/A	
<input type="checkbox"/>	Indicate where measures to minimize impervious surfaces have been implemented. (7.4.3)	Sheet C2	
<input type="checkbox"/>	Calculation of the maximum effective impervious surface as a percentage of the site. (7.4.3.2)	N/A	
<input type="checkbox"/>	Stormwater Management and Erosion Control Plan. <i>(Four (4) hardcopies of the full plan/report and Six (6) summaries to be submitted with the Site Plan Application) (7.4.4.1)</i>	N/A	

Final Site Plan Approval Required Information

<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	All local approvals, permits, easements and licenses required, including but not limited to: <ul style="list-style-type: none"> a. Waivers; b. Driveway permits; c. Special exceptions; d. Variances granted; e. Easements; f. Licenses. (2.5.3.2A)	Sheet C2	
<input type="checkbox"/>	Exhibits, data, reports or studies that may have been required as part of the approval process, including but not limited to: <ul style="list-style-type: none"> a. Calculations relating to stormwater runoff; b. Information on composition and quantity of water demand and wastewater generated; c. Information on air, water or land pollutants to be discharged, including standards, quantity, treatment and/or controls; d. Estimates of traffic generation and counts pre- and post-construction; e. Estimates of noise generation; f. A Stormwater Management and Erosion Control Plan; g. Endangered species and archaeological / historical studies; h. Wetland and water body (coastal and inland) delineations; i. Environmental impact studies. (2.5.3.2B)	N/A Parking CUP Granted	

Final Site Plan Approval Required Information

<input checked="" type="checkbox"/>	Required Items for Submittal	Item Location (e.g. Page/line or Plan Sheet/Note #)	Waiver Requested
<input type="checkbox"/>	A document from each of the required private utility service providers indicating approval of the proposed site plan and indicating an ability to provide all required private utilities to the site. (2.5.3.2D)	TBD	
<input type="checkbox"/>	A list of any required state and federal permit applications required for the project and the status of same. (2.5.3.2E)	Shorland Permit required	

Applicant's Signature: _____ **Date:** _____

Application Site Cost Estimate, Planning Board Application					
49 Hunking Street				5/20/2019	
Portsmouth, NH					
Item No.	DESCRIPTION	Units	Quantity	Unit Cost	Total
1	Site - Earthwork; Foundation	LS	1	\$ 3,500	\$ 3,500
2	Site - Retaining Wall	SF	80	\$ 100	\$ 8,000
3	Site - Drip Edge	LF	160	\$ 15	\$ 2,400
4	Building Demo	LS	1	\$ 3,000	\$ 3,000
5	Erosion Control	LS	1	\$ 500	\$ 500
Sub-Total					\$ 17,400

APPLICATION FEE:

\$500 + (\$17,400/1000 x \$5) + (1,700 / 1,000 x \$10)= \$ 604.00



WENTWORTH LEAR
Historic Houses

March 26, 2019

To Whom It May Concern:

This letter will provide authorization for Stephen M. Foster and his legal, technical and other representatives, to appear and present before any and all City of Portsmouth staff, boards and commissions with respect to Mr. Foster's efforts to restore and rehabilitate the Tobias Lear House.

Respectfully submitted

Richard Adams
Board President,
Wentworth Lear Historic Houses

9 May, 2019


To Whom It May Concern

RE: Client Representation for a proposed Site Plan for Stephen Foster at 49 Hunking Street, Portsmouth, NH

This letter is to inform the City of Portsmouth, NHDES, and other parties in accordance with State Law that Ambit Engineering is authorized to represent the above-mentioned property as my agent in the approval process. This includes signatory powers on any and all applications.

Please feel free to call me if there is any question regarding this authorization.

Sincerely,

A handwritten signature in black ink, appearing to be 'S Foster', written over a horizontal line.

Stephen Foster

1924 47th Street NW
Washington, DC
20007