




COATINGS REQUIRED:
-2 COATS ACRYLIC
FULL LENGTH

REV.	ALTERATION	DATE	BY

ITEM 665.17

LUMINAIRE SPECIFICATIONS

CATALOGUE NO.: K833-P4RAD-II-150(SSL)
-8084-120:277-3K S/F KPL20

QUANTITY:
GLOBE MAT'L: FLAT ARRAY, ACRYLIC DEEP DISH
IES CLASSIFIC.: TYPE II
WATTAGE: 150W (8084 SERIES)
LIGHT SOURCE: SOLID STATE LIGHTING
CCT: 3000K
LINE VOLTAGE: 120:277V
PAINT: TEXTURED BLACK
(INCLUDING HARDWARE)
OPTIONS: S/F KPL-20 LEVELING DEVICE

ARM SPECIFICATIONS


CATALOGUE NO.: (MOD) KA72-T-1-6'-KPL20

QUANTITY:
MATERIAL: ALUMINUM
PAINT: TEXTURED BLACK
(INCLUDING HARDWARE)
OPTIONS: KPL-20 LEVELING DEVICE

POLE SPECIFICATIONS

CATALOGUE NO.: KTT24-G-E11-SBP
C/W 140-30/100 & DR-FH

QUANTITY:
CLASS: B
SECTION: OCTAGONAL
COLOUR: ECLIPSE
FINISH: ETCHED
POLE TOP: 6 11/16" Ø
POLE BUTT: 12" Ø
POLE LENGTH: 24' 6"
APPROX WEIGHT: 1,810 lbs
MIN. RACEWAY: 1 1/8" Ø
OPTIONS: FLAG HOLDER &
DUPLX RECEPTACLE



CUSTOMER APPROVAL & DATE: _____



King Luminaire • StressCrete • Est. 1953

**STRESSCRETE
GROUP**

Manufacturing Locations:

Burlington, Ontario 1-800-268-7809

Northport, Alabama 1-800-435-6563

Atchison, Kansas 1-800-837-1024

Jefferson, Ohio 1-800-268-7809

PROJECT/CUSTOMER:

MARKET STREET GATEWAY - PHASE II

DRAWN BY: V.V.	AT: SC1	CHECKED BY:	DATE: 05/09/19	REVISION:
-------------------	------------	-------------	-------------------	-----------

DRAWING TYPE:
CONCEPT. DWG.

DRAWING NUMBER:
206A10005-1

CUSTOMER ORDER No:
STRESSCRETE ORDER No:
KMFG. ORDER No:
KING U.S. ORDER No:


ITEM 665.18

REV.

ALTERATION

DATE

BY



LUMINAIRE SPECIFICATIONS

CATALOGUE NO.: K833-P4RAD-II-150(SSL)
-8084-120:277-3K S/F KPL20

QUANTITY:
GLOBE MAT'L: FLAT ARRAY, ACRYLIC DEEP DISH
IES CLASSIFIC.: TYPE II
WATTAGE: 150W (8084 SERIES)
LIGHT SOURCE: SOLID STATE LIGHTING
CCT: 3000K
LINE VOLTAGE: 120:277V
PAINT: TEXTURED BLACK
(INCLUDING HARDWARE)
OPTIONS: S/F KPL-20 LEVELING DEVICE

ARM SPECIFICATIONS

CATALOGUE NO.: (MOD) KA72-T-2-6'-KPL20


QUANTITY:
MATERIAL: ALUMINUM
PAINT: TEXTURED BLACK
(INCLUDING HARDWARE)
OPTIONS: KPL-20 LEVELING DEVICE

POLE SPECIFICATIONS

CATALOGUE NO.: KTT24-G-E11-SBP
C/W 140-30/100 & DR & FH

QUANTITY:
CLASS: B
SECTION: OCTAGONAL
COLOUR: ECLIPSE
FINISH: ETCHED
POLE TOP: 6 11/16" Ø
POLE BUTT: 12" Ø
POLE LENGTH: 24' 6"
APPROX WEIGHT: 1,810 lbs
MIN. RACEWAY: 1 1/8" Ø
OPTIONS: FLAG HOLDER &
DUPLEX RECEPTACLE

COATINGS REQUIRED:
-2 COATS ACRYLIC
FULL LENGTH



CUSTOMER APPROVAL & DATE:

GRADE  
King Luminaire • StressCrete • Est. 1953
STRESSCRETE GROUP

Manufacturing Locations:
Burlington, Ontario 1-800-268-7809
Northport, Alabama 1-800-435-6563
Atchison, Kansas 1-800-837-1024
Jefferson, Ohio 1-800-268-7809


PROJECT/CUSTOMER:
MARKET STREET GATEWAY - PHASE II

DRAWN BY: V.V. AT: SC1 CHECKED BY: DATE: 05/09/19 REVISION:


DRAWING TYPE: CONCEPT. DWG. DRAWING NUMBER: 206A10005-2

CUSTOMER ORDER No:
-
STRESSCRETE ORDER No:
-
KMFG. ORDER No:
-
KING U.S. ORDER No:
-

ITEM 616.191



"OPTION 2"
TO FIT UP TO A 6.0' DIA. POLE
TOP C/W A 2.5' IPS
(2 7/8" O.D.) TENON
x 7' LONG.



TENON DETAIL

REV.	ALTERATION	DATE	BY

LUMINAIRE SPECIFICATIONS

CATALOGUE NO.: K833-P4RAD-II-150(SSL)
-8084-120:277-3K S/F KPL20

QUANTITY: FLAT ARRAY, ACRYLIC DEEP DISH
GLOBE MAT'L: TYPE II
IES CLASSIFIC.: 150W (8084 SERIES)
WATTAGE: SOLID STATE LIGHTING
LIGHT SOURCE: 3000K
CCT: 120:277V
LINE VOLTAGE: TEXTURED BLACK
PAINT: (INCLUDING HARDWARE)
OPTIONS: S/F KPL-20 LEVELING DEVICE

ARM SPECIFICATIONS

CATALOGUE NO.: (MOD) KA72-T-1-6'-KPL20

QUANTITY: ALUMINUM
MATERIAL: TEXTURED BLACK
PAINT: (INCLUDING HARDWARE)
OPTIONS: KPL-20 LEVELING DEVICE

CUSTOMER APPROVAL & DATE: _____



King Luminaire • Stresscrete • Est. 1953

**STRESSCRETE
GROUP**

Manufacturing Locations:

Burlington, Ontario 1-800-268-7809
Northport, Alabama 1-800-435-6563
Atchison, Kansas 1-800-837-1024
Jefferson, Ohio 1-800-268-7809

CUSTOMER ORDER No:

—

KMFG. ORDER No:

—

PROJECT/CUSTOMER:

MARKET STREET GATEWAY — PHASE II

DRAWN BY:

V.V.

AT:

SC1

CHECKED BY:

DATE:

05/14/19

REVISION:

DRAWING TYPE:

CONCEPT. DRAWING

DRAWING NUMBER:

206A10005-4