CITY OF PORTSMOUTH
DEPARTMENT OF PUBLIC WORKS
INTEROFFICE MEMORANDUM

ESF

To: **Erich Fiedler, David Lovely, Mike Merrill**

CC: **Shane Nichols, Doug Sparks, Zach Cronin**

From: **Karl Snyder**

Date: **February 05, 2025**

RE: **CSO 10A and CSO 10B and CSO 013 Deer Street – January 2025 Results**

See attached CSO flow monitoring and rainfall results for January 2025 to be attached to the DMR report for the Peirce Island WWTF. Note the rainfall related CSO events for:

CSO 10A
 There were no overflows for the month of January 2025

CSO 10B
There were no overflows for the month of January 2025

CSO 013 DEER STREET OVERFLOW
There were no overflows for the month of January 2025

TOTAL RAINFALL
1.230 inches

*Million Gallons

City of Portsmouth, NH
Department of Public Works Combined Sewer Overflow Summary Report January 2025 NPDES
Permit No. NH 01000324

Time	CSO 010A Daily Flow (MG)	CSO 010B Daily Flow (MG)	CSO 013 Daily Flow (MG)		RG City Hall Daily Rain (in)	
1/1/2025	0.000	0.000	0.000		0.610	
1/2/2025	0.000	0.000	0.000		0.000	
1/3/2025	0.000	0.000	0.000		0.000	
1/4/2025	0.000	0.000	0.000		0.000	
1/5/2025	0.000	0.000	0.000		0.000	
1/6/2025	0.000	0.000	0.000		0.000	
1/7/2025	0.000	0.000	0.000		0.000	
1/8/2025	0.000	0.000	0.000		0.000	
1/9/2025	0.000	0.000	0.000		0.000	
1/10/2025	0.000	0.000	0.000		0.000	
1/11/2025	0.000	0.000	0.000		0.000	
1/12/2025	0.000	0.000	0.000		0.090	
1/13/2025	0.000	0.000	0.000		0.000	
1/14/2025	0.000	0.000	0.000		0.000	
1/15/2025	0.000	0.000	0.000		0.000	
1/16/2025	0.000	0.000	0.000		0.000	
1/17/2025	0.000	0.000	0.000		0.000	
1/18/2025	0.000	0.000	0.000		0.180	
1/19/2025	0.000	0.000	0.000		0.030	
1/20/2025	0.000	0.000	0.000		0.000	
1/21/2025	0.000	0.000	0.000		0.000	
1/22/2025	0.000	0.000	0.000		0.000	
1/23/2025	0.000	0.000	0.000		0.000	
1/24/2025	0.000	0.000	0.000		0.000	
1/25/2025	0.000	0.000	0.000		0.000	
1/26/2025	0.000	0.000	0.000		0.000	
1/27/2025	0.000	0.000	0.000		0.000	
1/28/2025	0.000	0.000	0.000		0.000	
1/29/2025	0.000	0.000	0.000		0.140	
1/30/2025	0.000	0.000	0.000		0.000	
1/31/2025	0.000	0.000	0.000		0.180	
TOTALS	0.000	0.000	0.000	[MG]*	1.230	(IN)