

**CITY OF PORTSMOUTH
DEPARTMENT OF PUBLIC WORKS
INTEROFFICE MEMORANDUM**

To: Erich Fiedler, ^{ESF} David Lovely
CC: Shane Nichols, Zach Cronin, Doug Sparks
From: Karl Snyder
Date: March 11, 2025
RE: CSO 10A and CSO 10B and CSO 013 Deer Street – February 2025 Results

See attached CSO flow monitoring and rainfall results for February 2025 to be attached to the DMR report for the Peirce Island WWTF. Note the rainfall related CSO events for:

CSO 10A

There were no overflows for the month of February 2025

CSO 10B

There were no overflows for the month of February 2025

CSO 013 DEER STREET OVERFLOW

There were no overflows for the month of February 2025

Total Rainfall = 1.720 Inches

*Million Gallons

City of Portsmouth, NH
 Department of Public Works Combined Sewer Overflow Summary Report February 2025 NPDES
 Permit No. NH 01000324

Time	CSO 010A Daily Flow (MG)	CSO 010B Daily Flow (MG)	CSO 013 Daily Flow (MG)		RG City Hall Daily Rain (in)	
2/1/2025	0.000	0.000	0.000		0.010	
2/2/2025	0.000	0.000	0.000		0.060	
2/3/2025	0.000	0.000	0.000		0.080	
2/4/2025	0.000	0.000	0.000		0.000	
2/5/2025	0.000	0.000	0.000		0.000	
2/6/2025	0.000	0.000	0.000		0.330	
2/7/2025	0.000	0.000	0.000		0.000	
2/8/2025	0.000	0.000	0.000		0.040	
2/9/2025	0.000	0.000	0.000		0.230	
2/10/2025	0.000	0.000	0.000		0.010	
2/11/2025	0.000	0.000	0.000		0.000	
2/12/2025	0.000	0.000	0.000		0.000	
2/13/2025	0.000	0.000	0.000		0.150	
2/14/2025	0.000	0.000	0.000		0.000	
2/15/2025	0.000	0.000	0.000		0.060	
2/16/2025	0.000	0.000	0.000		0.620	
2/17/2025	0.000	0.000	0.000		0.020	
2/18/2025	0.000	0.000	0.000		0.000	
2/19/2025	0.000	0.000	0.000		0.000	
2/20/2025	0.000	0.000	0.000		0.000	
2/21/2025	0.000	0.000	0.000		0.000	
2/22/2025	0.000	0.000	0.000		0.000	
2/23/2025	0.000	0.000	0.000		0.000	
2/24/2025	0.000	0.000	0.000		0.000	
2/25/2025	0.000	0.000	0.000		0.000	
2/26/2025	0.000	0.000	0.000		0.000	
2/27/2025	0.000	0.000	0.000		0.110	
2/28/2025	0.000	0.000	0.000		0.000	
TOTALS	0.000	0.000	0.000	[MG*]	1.720	(IN)